London Boom Lift License

London Boom Lift License - Only completely licensed individuals must operate an aerial boom lift. Qualification could be obtained through a combination of sessions in the classroom and practical training with the specific kind of aerial lift that would be utilized on the job. A License is needed for anybody who works on or operates an aerial boom lift.

Various types of vehicle-mounted aerial devices include aerial ladders, extensible boom platforms, articulating boom platforms, vertical towers, and whichever combination of these kinds.

When using a boom lift, there are a few basic safety rules that apply to all boom lifts. Safety of the worker is a main concern while they are working in the basket. The worker must always have on a body harness and lanyard, connecting it to the boom or basket. Never tie off to a structure, equipment or an adjacent pole. Personnel should stand on the floor of the basket, and never sit or climb on the edge of the basket. The load restrictions of the manufacturer should be adhered to.

Lift operators should be certified to operate an aerial lift. The manufacturer's manual must be kept inside the lift and the operator should know all aspects of that particular unit. Operators are responsible for ensuring that safety procedures are followed in operating the lift. A daily test of lift controls must be carried out. Set brakes and position outriggers (if they are used) on a stable surface or on pads. If working on a slope, use wheel chocks.

Never move an aerial lift truck with an elevated boom while employees are within the basket. Extensible boom platforms and articulating boom made use of as personnel carriers must have accessible, plainly marked, upper controls. Except for in emergency circumstances, lower controls should not be used to override upper controls unless the individual within the lift gives permission.

While working from an aerial lift, do not wear tree or pole climbers.
The insulated part of the aerial lift must not be altered.
Do inspect the booms to make sure that it is correctly cradled and the outriggers are in the stowed position prior to moving.
Make certain that lifts being utilized near or in power lines are di-electrically tested and follow local rules.